

# PRODUCT LISTS



**inkon**

• Screen Printing Inks •

# PRODUCT LISTS





PRODUCT LISTS

**inkon**  
• Screen Printing Inks •

CODE	POLYURETHANES SERIES	MESH (CM)	CURING TEMP. (C)	CURING TIME	KG	
PU 1000	SOFT CLEAR	<b>Elastic Soft Effect Paste</b> Elastik Yumuşak Şeffaf	43T-62T	160° -170°	1,5-2min	30-60
PU 1005	MATT CLEAR	<b>Elastic Matt Paste</b> Elastik Mat Şeffaf	43T-55T	160° -170°	1,5-2min	30-60
PU 1010	CLEAR	<b>Elastic Paste</b> Elastik Şeffaf	43T-62T	160° -170°	1,5-2min	30-60
PU 1050	SOFT WHITE	<b>Elastic Soft White</b> Elastik Yumuşak Beyaz	43T-62T	160° -170°	1,5-2min	40-60
PU 1055	OPTIC WHITE	<b>Elastic Soft Optic White</b> Elastik Optik Beyaz	43T-62T	160° -170°	1,5-2min	40-60
PU 1060	WHITE	<b>Elastic White</b> Elastik Beyaz	43T-62T	160° -170°	1,5-2min	40-60
PU 1070	SNOW WHITE	<b>Elastic Snow White</b> Elastik Kar Beyaz	43T-62T	160° -170°	1,5-2min	40-60
PU 1015	SILK CLEAR	<b>Elastic Soft Anti Foil Paste</b> Elastik Yumuşak Varak Almaz Şeffaf	43T-62T	160° -170°	1,5-2min	30-60
PU 1065	SILK WHITE	<b>Elastic Soft Anti Foil White</b> Elastik Yumuşak Varak Almaz Beyaz	43T-62T	160° -170°	1,5-2min	40-60
PU 5000	HIGH MESH CLEAR	<b>High Elastic Photographic Print Paste</b> Yüksek Elastik Fotoğraf Baskı Şeffaf	77T-120T	160° -170°	1,5-2min	30-60
PU 5010	EXMATT CLEAR	<b>Elastic Extra Matt Paste</b> Elastik Ekstra Mat Şeffaf	43T-62T	160° -170°	1,5-2min	30-60
PU 5050	HIGH MESH WHITE	<b>High Elastic Photographic Print White</b> Yüksek Elastik Fotoğraf Baskı Beyaz	62T-90T	160° -170°	1,5-2min	40-60
PU 5100	REDUCER	<b>Water Based Reducer</b> Su Bazlı İnceltici	-	-	-	5-10
PU 5500	HIGHDENSITY CLEAR	<b>Elastic Highdensity Clear Paste</b> Elastik Yüksek Kalıp Şeffaf	32T-43T	150° -170°	1-2min	10
PU 5510	HIGHDENSITY WHITE	<b>Elastic Highdensity White Paste</b> Elastik Yüksek Kalıp Beyaz	32T-43T	150° -170°	1-2min	15
PU 5150	HARD FIX	<b>Fixer - For Low Temperature Fixing</b> Soğuk Fiksator	-	-	-	1-5
PU 5160	LIGHT FIX	<b>Fixer - For High Temperature Fixing</b> Sıcak Fiksator	-	-	-	1-5
PU 5165	OXAL	<b>Fixer - For High Temperature Fixing</b> Sıcak Fiksator	-	-	-	1-5
PU 5170	SOFT FIX	<b>Fixer - For Fixing at Low Temperature (Non Allergic)</b> Düşük Sıcaklık Fiksator	-	-	-	1-5

CODE	POLYURETHANES SERIES	MESH (CM)	CURING TEMP. (C)	CURING TIME	KG	
PU 1500	SUPER PUFF	<b>High Temperature Puff</b> Yüksek Sıcaklık Kabartma	43T-62T	160° -170°	1,5-2min	30
PU 1510	PEARL PASTE	<b>Pearl Paste</b> Sedef Pati	32T-55T	160° -170°	1,5-2min	30
PU 1515	ANTIFOIL GELL	<b>Antifoil Paste</b> Varak Almaz	32T-55T	160° -170°	1,5-2min	10-30
PU 1520	BARRIER	<b>Barrier Paste</b> Kusma Önleyici	32T-55T	160° -170°	1,5-2min	5-12
PU 1530	BRILLPASTE	<b>Bright Paste</b> Parlak Jel	32T-62T	160° -170°	1,5-2min	30
PU 1550	SILVER STAR	<b>Bright Silver</b> Parlak Gümüş	32T-43T	160° -170°	1,5-2min	5-30
PU 1560	GOLD STAR	<b>Bright Gold</b> Parlak Sarı	32T-43T	160° -170°	1,5-2min	5-30
PU 1570	COPPER STAR	<b>Bright Copper</b> Parlak Bakır	32T-43T	160° -170°	1,5-2min	5-30
PU 1580	WHITE STAR	<b>Bright Star</b> Tusesiz Priltili Şeffaf	32T-43T	160° -170°	1,5-2min	5-30
PU 1590	NIGHT STAR	<b>Phosphorus</b> Fosfor	32T-43T	160° -170°	1,5-2min	5
PU 1600	NIGHT GRAY	<b>Reflector</b> Gri Reflektör	32T-43T	160° -170°	1,5-2min	5
PU 1610	NIGHT STAR GRAY	<b>Bright Reflector</b> Parlak Gri Reflektör	32T-43T	160° -170°	1,5-2min	5
PU 1700	FOIL ADHESIVE	<b>Foil Adhesive</b> Varak Tutkallı	32T-43T	160° -170°	1,5-2min	30-60
PU 1705	EXTFOIL ADEHESIVE	<b>Extra Foil Adhesive</b> Çok Tutucu Varak Tutkallı	32T-43T	160° -170°	1,5-2min	30-60
PU 1730	FLOCK ADHESIVE	<b>Flock Adhesive</b> Flok Tutkallı	27T-32T	160° -170°	1,5-2min	30-60
PU 1750	GLITTER ADHESIVE	<b>Glitter Adhesive</b> Sim Tutkallı	12T	160° -170°	1,5-2min	30-60



PRODUCT LISTS

**inkon**  
• Screen Printing Inks •

CODE	ACRYLIC SERIES		MESH (CM)	CURING TEMP. (C)	CURING TIME	KG
AC 3030	SOFT PASTE	<b>Printing Paste</b> Baski Patı	43T-62T	160°-170°	1,5-2min	60
AC 3035	STRONG PASTE	<b>Strong Printing Paste</b> Kuvvetli Baski Patı	43T-62T	160°-170°	1,5-2min	60
AC 3040	TRIKO PASTE	<b>Knitwear Printing Paste</b> Triko Baski Patı	32T-43T	160°-170°	1,5-2min	30-60
AC 3050	CMYK PASTE	<b>Photographic Print Paste</b> Fotoğraf Şeffaf	62T-120T	160°-170°	1,5-2min	60
AC 3000	SOFT CLEAR F	<b>Soft Paste</b> Yumuşak Şeffaf	43T-55T	160°-170°	1,5-2min	30-60
AC 9910	SOFT WHITE	<b>Soft White</b> Yumuşak Beyaz	43T-55T	160°-170°	1,5-2min	40-60
AC 3085	PUFF	<b>Puff Paste</b> Kabartma Patı	43T-55T	160°-170°	1,5-2min	30
AC 3080	BARRIER	<b>Barrier Paste</b> Kusma Önleyici	32T-43T	160°-170°	1-1,5min	5-12
AC 3400	HARD CLEAR	<b>Cracking Paste</b> Çatlaman Şeffaf	32T-43T	160°-170°	1,5-2min	10
AC 3410	HARD WHITE	<b>Cracking White</b> Çatlaman Beyaz	32T-43T	160°-170°	1,5-2min	15
AC 3430	HARD FLOCK ADHESIVE	<b>Hard Flock Adhesive</b> Çatlaman Flok Tutkallı	27T	160°-170°	1,5-2min	10
AC 3500	FOIL ADHESIVE	<b>Foil Adhesive</b> Varak Tutkallı	32T-43T	160°-170°	1,5-2min	30
AC 3535	FLOCK ADHESIVE	<b>Flock Adhesive</b> Flok Tutkallı	27T	160°-170°	1,5-2min	30
AC 3555	GLITTER ADHESIVE	<b>Glitter Adhesive</b> Sim Tutkallı	12T	160°-170°	1,5-2min	30

AC 4050	DISCPASTE	<b>Acrylic based DISCHARGE paste</b> Akrilik esaslı AZALTEMA patı	-	-	-	30-60
AC 4060	DISCWHITE	<b>Acrylic based DISCHARGE white</b> Akrilik esaslı AZALTEMA beyaz	-	-	-	30-60
AC 4070	DISCPOWDER	<b>Acrylic based DISCHARGE powder</b> Akrilik esaslı aşındırma tozu	-	-	-	5

CODE	PIGMENTS	MESH (CM)	CURING TEMP. (C)	CURING TIME	KG	
PM 6300	SUN COLOR					
		<b>Photosensitive pigment YELLOW</b> Işığa duyarlı pigment SARI	-	-	-	1-5
PM 6310	SUN COLOR					
		<b>Photosensitive pigment RED</b> Işığa duyarlı pigment KIRMIZI	-	-	-	1-5
PM 6320	SUN COLOR					
		<b>Photosensitive pigment BLUE</b> Işığa duyarlı pigment MAVİ	-	-	-	1-5
PM 6330	SUN COLOR					
		<b>Photosensitive pigment VIOLET</b> Işığa duyarlı pigment MOR	-	-	-	1-5
PM 6000	LIGHT YELLOW					
		<b>Concentrated Pigment Light Yellow</b> Konsantre Pigment Açık Sarı	43T-62T	160° -170°	1,5-2min	5-30
PM 6010	GOLDEN YELLOW					
		<b>Concentrated Pigment Gold Yellow</b> Konsantre Pigment Gold Sarı	32T-55T	160° -170°	1,5-2min	5-30
PM 6020	RED ORANGE					
		<b>Concentrated Pigment Red Orange (Scarlet)</b> Konsantre Pigment Koyu Oranj	32T-55T	160° -170°	1,5-2min	5-30
PM 6030						
		<b>Concentrated Pigment Red</b> Konsantre Pigment Kırmızı	32T-55T	160° -170°	1,5-2min	5-30
PM 6040						
		<b>Concentrated Pigment Carmine Red</b> Konsantre Pigment Koyu Kırmızı	32T-62T	160° -170°	1,5-2min	5-30
PM 6050						
		<b>Concentrated Pigment Magenta</b> Konsantre Pigment Macenta	32T-43T	160° -170°	1,5-2min	5-30
PM 6060						
		<b>Concentrated Pigment Blue</b> Konsantre Pigment Mavi	32T-43T	160° -170°	1,5-2min	5-30
PM 6070						
		<b>Concentrated Pigment Navy Blue</b> Konsantre Pigment Laciver	32T-43T	160° -170°	1,5-2min	5-30
PM 6080						
		<b>Concentrated Pigment Violet</b> Konsantre Pigment Mor	32T-43T	160° -170°	1,5-2min	5-30
PM 6090						
		<b>Concentrated Pigment Green</b> Konsantre Pigment Yeşil	32T-43T	160° -170°	1,5-2min	5-30
PM 6099						
		<b>Concentrated Pigment Black</b> Konsantre Pigment Siyah	32T-43T	160° -170°	1,5-2min	5-30
PM 6200	FLUORESCENT YELLOW					
		<b>Fluorescent Yellow (Low Formaldehyde)</b> Flöresan Pigment Sarı	32T-43T	160° -170°	1,5-2min	5-30
PM 6210	FLUORESCENT ORANGE					
		<b>Fluorescent Orange (Low Formaldehyde)</b> Flöresan Pigment Turuncu	32T-43T	160° -170°	1,5-2min	5-30
PM 6215	FLUORESCENT PINK					
		<b>Fluorescent Pink (Low Formaldehyde)</b> Flöresan Pigment Pembe	32T-43T	160° -170°	1,5-2min	5-30
PM 6220	FLUORESCENT GREEN					
		<b>Fluorescent Green (Low Formaldehyde)</b> Flöresan Pigment Yeşil	27T-32T	160° -170°	1,5-2min	5-30



PRODUCT LISTS

**inkon**  
• Screen Printing Inks •

CODE	AUXILIARY	MESH (CM)	CURING TEMP. (C)	CURING TIME	KG
MS 8300		MESH 12, WIDTH: 260 cm (in meter) İpek			50 MT
MS 8310		MESH 27, WIDTH: 260 cm (in meter) İpek			50 MT
MS 8320		MESH 32, WIDTH: 260 cm (in meter) İpek			50 MT
MS 8330		MESH 43, WIDTH: 260 cm (in meter) İpek			50 MT
MS 8340		MESH 55, WIDTH: 260 cm (in meter) İpek			50 MT
MS 8350		MESH 62, WIDTH: 260 cm (in meter) İpek			50 MT
MS 8360		MESH 77, WIDTH: 260 cm (in meter) İpek			50 MT
MS 8370		MESH 90, WIDTH: 260 cm (in meter) İpek			50 MT
MS 8380		MESH 100, WIDTH: 260 cm (in meter) İpek			50 MT
MS 8390		MESH 120, WIDTH: 240 cm (in meter) İpek			50 MT
EM 8000		FOTO EMULSION			5
EM 8050		HIGH DENSITY EMULSION			5
EM 8100		EMULSION HARDENER			5
EM 8200		Fabric Bonding Paste (3,5 Bond + 1,5 Catalyst) Kalıp Yapıştırma			5
AC 3900		AKRİLİK KIVAMLAŞTIRICI			5 KG
AC 3905		SENTETİK KIVAMLAŞTIRICI			5 KG
AC 3910		AKRİLİK BİNDER			60 KG

CODE	AUXILIARY		MESH (CM)	CURING TEMP. (C)	CURING TIME	KG
PM 6300	SUN COLOR	<b>Photosensitive pigment YELLOW</b> Işığa duyarlı pigment SARIL	-	-	-	1-5
PM 6310	SUN COLOR	<b>Photosensitive pigment RED</b> Işığa duyarlı pigment KIRMIZI	-	-	-	1-5
PM 6320	SUN COLOR	<b>Photosensitive pigment BLUE</b> Işığa duyarlı pigment MAVI	-	-	-	1-5
PM 6330	SUN COLOR	<b>Photosensitive pigment VIOLET</b> Işığa duyarlı pigment MOR	-	-	-	1-5
MT 5000	Table Adhesive	<b>Water Based Table ADHESIVE</b> Su bazlı tablo YAPIŞTIRICI				30
MT 5050	Silicone Spray	<b>Silicone Spray</b> Silikon sprej				24
MT 5100	Adhesive Spray	<b>Adhesive Spray</b> Yapıştırıcı sprej				24
MT 5200	TABLE GELATIN	<b>TABLE GELATIN (20-25 micron 300 MT)</b> Tablo jelatin				KG
MT 5250	TRANSFER PAPER	<b>Transfer Paper 110gr X 70 X 100 Cm (Packets 250 Pcs)</b> Transfer kağıdı				PCS
MT 5300	TRANSFER POWDER	<b>Transfer Powder 80-200 Polyester (20 Kg Bags)</b> Transfer tozu				kg
MT 5260	BRIGHT					
MT 5270	MAT					
GP 8500		0,08 SILVER GLITTER				25
GP 8520		0,08 GOLD GLITTER				25
		0,08 Assorted COLOR GLITTER				5
GP 8505		0,04 SILVER GLITTER				5
GP 8525		0,04 GOLD GLITTER				5
Silver and Gold Foil		3,000 MT X 150 CM JUMBO				MT
PB 7000	Pure Bead	0,06-0,08 / 1 - 1,2 Clear, White, Black				





PRODUCT LISTS

**inkon**  
• Screen Printing Inks •

CODE	PHTHALATE FREE PLASTISOL	MESH (CM)	CURING TEMP. (C)	CURING TIME	KG
PF 2000	ŞEFFAF - CLEAR				15
PF 2020	BEYAZ - WHITE				15
PF 2025	FLASH CURE WHITE				15
PF 2040	SİYAH - BLACK				15
PF 2050	AÇIK SARI				8
PF 2060	GOLD SARI				8
PF 2070	ORANJ				8
PF 2080	KIRMIZI - RED				8
PF 2090	KOYU KIRMIZI - DARK RED				8
PF 2100	MACENTA - MAGENTA				8
PF 2110	MOR - VIOLET				8
PF 2120	MAVİ - BLUE				8
PF 2130	KOYU MAVİ - DARK BLUE				8
PF 2140	ULTRA MAVİ				8
PF 2150	TURKUVAZ				8
PF 2160	LACİVERT				8
PF 2170	YEŞİL - GREEN				8
PF 2180	KOYU YEŞİL - DARK GREEN				8
PF 2190	KAHVERENGİ				8
PF 2200	KABARTMA				8
PF 2210	YÜKSEK KALIP				15
PF 2220	İNCELTİCİ				5
PF 2230	GÜMÜŞ YALDIZ				6
PF 2240	SARI YALDIZ - GOLD				6

CODE	PHthalate FREE PLASTISOL	KG
PF 2250	FOSFOR PASTA	5
PF 2260	REFKEKTÖR	5
PF 2270	PARLAK GRİ REFLEKTÖR	5
PF 2280	KATALİZÖR	1
PF 2290	BARİYER - BARRIER	8
PF 2400	FLÖRESAN SARI	8
PF 2410	FLÖRESAN ORANJ	8
PF 2420	FLÖRESAN PEMBE	8
PF 2430	FLÖRESAN YEŞİL	8
PF 2500 CMYK	CMYK SARI	8
PF 2510 CMYK	CMYK RED	8
PF 2520 CMYK	CMYK BLUE	8
PF 2530	CMYK BLACK	8



kon



**inkon Kimya San. Tic. Ltd. Őti.**

İkitelli OSB Mah.  
Galvanoteknik Gümüş Sok.  
Galvanoteknik San. Sit.  
C2 Blok No: 33  
Başakşehir - İstanbul  
T: +90 212 671 60 54  
+90 212 671 60 55  
+90 212 671 60 56  
F: +90 212 671 60 52

M: [inkon@inkon.com.tr](mailto:inkon@inkon.com.tr)

[www.inkon.com.tr](http://www.inkon.com.tr)